
Operating Journal

| Activation of the Damper | | | | |
|--|--|---|--|--|
| Installation Method Number (e.g. "2") | Installation Method Name (e.g. "Dry installation using mineral wool and coverplates") | | | |
| | | | | |
| | | | | |
| Date | Description of the Discovered Defects and the Date of the Following Inspection after the Elimination of Deficiencies | Inspection Technician's Name and Signature | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |







| Damper Identification | | | | |
|--|--|--|--|--|
| Building Object | | | | |
| Placement | | | | |
| Room No. | | | | |
| Position No. | | | | |
| Identification (e.g. "PKI-C-EI60S-200-DV1-2") | | | | |
| Signalization | | | | |

Warranty Service

| Date of Warranty Repair Notification | Date of Warranty Repair Finalization | Description of Warranty Repair Performed | Representative of the Manufacturer (Stamp, Signature) |
|---|---|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

