






OPTIMA-LV-R



Regulátor variabilního průtoku (VAV) kruhový pro velmi nízké průtoky

Návod na montáž, obsluhu a údržbu





OPTIMA-LV...	-R	-R-MOD (MODBUS)	-R-MOD (BACnet)
	-RI	-RI-MOD (MODBUS)	-RI-MOD (BACnet)





OPTIMA-LV...

-R

-RI

(DC 2 V ... 10 V)







OPTIMA-LV...



-R

-RI


(DC 0 V ... 10 V)




i OPTIMA-LV... -R -RI




$$U_c = 2 + \frac{q - V_{min}}{V_{max} - V_{min}} \cdot 8$$



$$U_c = \frac{q - V_{min}}{V_{max} - V_{min}} \cdot 10$$





$$q = \frac{U - 2}{8} \cdot V_{nom}$$



$$q = \frac{U}{10} \cdot V_{nom}$$


g OPTIMA-LV... -R-MOD -RI-MOD (BUS)



- a AC 24 V $q = k \sqrt{P}$
- b AC 24 V, DC 24 V $q = k \sqrt{P}$
- c AC 24 V, DC 24 V $q = k \sqrt{P}$
- d AC 24 V, DC 24 V $q = k \sqrt{P}$
- g AC 24 V, DC 24 V $q = k \sqrt{P}$





 -40°C ... +80°C



 ≤ 95%



 -10°C ... +50°C

 ≤ 95%







www.systemair.com