

OTP75T3M



Products → Low Voltage Products and Systems → Enclosed Switches → Enclosed Safety Switches

General Information

Extended Product Type:	OTP75T3M
Product ID:	1SCA022812R2890
EAN:	6417019274447
Catalog Description:	OTP75T3M Safety switch
Long Description:	Safety switch, 3-p. 400V AC23 80A, 37kW. Plastic enclosure. IP65. Black Selector handle. Interlocked cover. Defeatable interlocking.

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Popular Downloads

Data Sheet, Technical Information:	1SCC340006C0201
Instructions and Manuals:	1SCC340002M00012

Dimensions

Product Net Width:	200 mm
Product Net Height:	400 mm
Product Net Depth / Length:	140 mm
Product Net Weight:	2.3 kg

Technical

Rated Operational Current AC-22A (I _e):	(380 ... 415 V) 100 A (500 V) 100 A (690 V) 100 A
---	---

Rated Operational Current AC-23A (I _e):	(380 ... 415 V) 80 A (500 V) 60 A (690 V) 40 A
---	--

Rated Operational Power AC-23A (P _e):	(380 ... 415 V) 37 kW (500 V) 37 kW (690 V) 37 kW
---	---

Conventional Thermal Current (I _{the}):	Fully Enclosed 115 A
---	----------------------

Rated Insulation Voltage (U_i):	acc. to IEC/EN 60664-1 750 V
--	------------------------------

Rated Operational Voltage:	Main Circuit 750 V
-----------------------------------	--------------------

Power Loss:	at Rated Operating Conditions per Pole 4 W
--------------------	--

Pollution Degree:	3
--------------------------	---

Handle Color:	Black
Handle Type:	Selector handle
Number of Poles:	3
Cable Cross-Section:	70 mm ²
Cable Entry Position:	Up/Down
Cable Outlets Per Side:	2xM50+M16 / 2xM50+M16
Degree of Protection:	acc. to IEC 60529 IP65
Enclosure Material:	Plastic
Maximum Mounted Auxiliary Contacts:	2 NO, 2 NC
Mounted Auxiliary Contacts:	1 NO, 0 NC

Environmental

RoHS Status:	Following EU Directive 2011/65/EU
Environmental Information:	1SCC340034D0202

Certificates and Declarations (Document Number)

BV Certificate:	1SCC340018D0204
Declaration of Conformity - CE:	1SCC340003D2704
DNV Certificate:	1SCC340045D0203
DNV GL Certificate:	1SCC340045D0203
Environmental Information:	1SCC340034D0202
Instructions and Manuals:	1SCC340002M00012
RoHS Information:	1SCC340034D0202

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	197 mm
Package Level 1 Depth / Length:	213 mm
Package Level 1 Height:	417 mm
Package Level 1 Gross Weight:	2.5 kg
Package Level 1 EAN:	6417019274447

Classifications

Object Classification Code:	Q
ETIM 5:	EC000216 - Switch disconnecter
ETIM 6:	EC000216 - Switch disconnecter
ETIM 7:	EC000216 - Switch disconnecter

