



TT-S1

Ancillary board for TTC2000

Ancillary board intended to control an extra load when using the TTC2000 controller.

- Maximum 25 A load (appr. 17 kW)
- Easy installation and start-up

TT-S1 is an ancillary board intended to control an extra load connected to TTC2000. The board controls a contactor which activates or deactivates the heating load. For best function, the load connected to TT-S1 should be of equal size to the load connected to TTC2000 (triac).

Function

On increasing heat demand, TTC2000 will primarily increase the triac-controlled output. When this reaches 100% the ancillary board will be activated and the triac output will be reduced to 0%. If there is a need for more heating, the triac-controlled output will be activated again.

- Potential free relay output
- For control of auxiliary contactor

Easy to install and connect

TTC2000 is prepared to plug-in TT-S1. It detects if TT-S1 is installed and automatically adapts the control function accordingly. No adjustments are necessary. Carefully locate the board so that the connectors mate and the TT-S1 legs align with the mounting holes (see picture on the following page).

Connect the two terminals to the contactor that controls the basic heating load.

TTC2000 and TT-S1 must have separate, equal-sized loads.

N.B. The supply should be wired via the fan stat, the high temperature limit switch etc.

Technical data

Supply voltage

Supplied by the connector (TTC2000)

Control signal

Supplied by the connector (TTC2000)

Output

Single pole closing relay, 5 A, 230 V AC (terminals 1 and 2)

Controls load via contactor. Maximum load via contactor 25 A




This product conforms with the requirements of European EMC standards CENELEC

EN 61000-6-1 and EN 61000-6-3 and carries the CE mark. This product conforms with the


requirements of European LVD standards IEC 669-1 and IEC 669-2-1.

Wiring



* = Use for example sensor DTV as fan stat, see data sheet 3-100 for more information.

Installation



Head Office Sweden

Phone: +46 31 720 02 00

Web: www.regin.se

Mail: info@regin.se

Sales Offices

France: +33 1 41 71 00 34

Germany: +49 30 77 99 40

Spain: +34 91 473 27 65

Hong Kong: +852 24 07 02 81

Singapore: +65 67 47 82 33



THE CHALLENGER IN BUILDING AUTOMATION